



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Talchuan.	Sept. 30	28,000	6	2									2	1
Do.	Oct. 7		3										2	1
Tapachula.	Sept. 7		35					3						
Do.	Sept. 15		55	2				1					1	
Do.	Sept. 23		27					2						
Do.	Sept. 30		29											
Tarragona.	Oct. 14		7							2				
Tientsin.	Sept. 30	465,000	14											
Do.	Oct. 7		19	2					1					
Toronto.	Oct. 21	392,000	120	4						2		1		
Trieste.	Oct. 14	233,925	95											
Turin.	Oct. 8	401,555	111	8										
Do.	Oct. 15		116	21						3		2		
Valencia.	Oct. 14	240,000	69	9				1		2		1		
Valletta.	do.	213,395	86	3								1	4	
Victoria.	Oct. 21	31,620	13	3								1		
Vladivostok.	June 20	84,578	11	1				1			1			
Do.	June 28	84,578	10					4						
Do.	July 5		16	1				1						
Do.	July 14		18	1								1		
Do.	July 21		26	2										
Do.	July 28		17	6				1		1				
Do.	Aug. 4		20	1										
Do.	Aug. 14		25	1				1				1		
Do.	Aug. 21		27	1				1						
Do.	Aug. 28		4	2				1						
Do.	Sept. 4		16							1				
Vienna.	Oct. 7	2,064,583	539	85						1	3	1	1	2
West Hartlepool.	Oct. 21	63,932	13											
Windsor.	Oct. 28	17,819	4	1										
Winnipeg.	Oct. 21	151,958	29							3		1		
Zanzibar.	Sept. 21	75,000	27		1			1						

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(Untabulated).

ALGERIA—*Algiers*.—Month of September, 1911. Population, 172,397. Total number of deaths from all causes 327, including cholera 1, diphtheria 1, measles 1, smallpox 2, tuberculosis 47, typhoid fever 16, typhus fever 1.

ARGENTINA—*Buenos Aires*.—Month of July, 1911. Population, 1,331,404. Total number of deaths from all causes 2,133, including diphtheria 33, measles 4, scarlet fever 4, small pox 35, tuberculosis 203, typhoid fever 24.

BRAZIL—*Santos*.—Four weeks ended September 2, 1911. Population, 85,000. Total number of deaths from all causes 91, including diphtheria 1, measles 1, typhoid fever 1, typhus fever 1.

FORMOSA.—Two weeks ended August 19, 1911. Population, 3,290,186. Total number of deaths from all causes not reported. The reported deaths include diphtheria 1, typhoid fever 11.

FRANCE—*Marseille*.—Month of August, 1911. Population, 550,619. Total number of deaths from all causes 1,134, including cholera 70, measles 3, smallpox 1, tuberculosis 117, typhoid fever 36.

Roubaix.—Month of August, 1911. Population, 122,154. Total number of deaths from all causes 204, including tuberculosis 22.

GREAT BRITAIN.—Week ended September 23, 1911.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 17 per 1,000 of the population, which is estimated at 16,157,797.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 20.1 per 1,000 of the population, which is estimated at 1,149,495. The lowest rate was recorded at Newry, viz, 4.4, and the highest at Newtownards, viz, 28.6 per 1,000.

Scotland.—The deaths registered in eight principal towns correspond to an annual rate of 16.7 per 1,000 of the population, which is estimated at 1,710,291. The lowest rate was recorded at Paisley, viz, 13, and the highest at Perth, viz, 20.3 per 1,000. The total number of deaths from all causes was 547, including diphtheria 5, measles 5, scarlet fever 5, typhoid fever 3.

ITALY—*Genoa*.—Two weeks ended September 15, 1911. Population 256,673. Total number of deaths from all causes 204, including diphtheria 2, tuberculosis 28, typhoid fever 1.

JAMAICA—*Kingston*.—Month of August, 1911. Population 50,000. Total number of deaths from all causes 160, including tuberculosis 14, typhoid fever 2.

MALTA.—Five weeks ended September 23, 1911. Population 213,395. Total number of deaths from all causes 585, including measles 13, tuberculosis 18, typhoid fever 7.

RUSSIA—*Libau*.—Month ended August 13, 1911. Population 60,000. Total number of deaths from all causes not reported. The deaths include diphtheria 1, measles 1, scarlet fever 2.

SOUTH AFRICA—*Johannesburg*.—Two weeks ended July 29, 1911. Population 220,304. Total number of deaths from all causes 177, including measles 1, scarlet fever 1, tuberculosis 21, typhoid fever 4.

Month of August, 1911. Total number of deaths from all causes 349, including measles 3, scarlet fever 2, tuberculosis 58, typhoid fever 7.

Four weeks ended September 23, 1911. Population 237,220. Total number of deaths from all causes 227, including diphtheria 2, measles 2, scarlet fever 2, tuberculosis 27, typhoid fever 1.

TAHITI.—Two weeks ended September 15, 1911. Population 4,000. Total number of deaths from all causes 3. No contagious diseases.

TURKEY—*Saloniki*.—Four weeks ended September 1, 1911. Population 200,000. Total number of deaths from all causes 170, including diphtheria 2, scarlet fever 1, tuberculosis 31, typhoid fever 3.

URUGUAY—*Montevideo*.—Month of July, 1911. Population 308,710. Total number of deaths from all causes 503, including diphtheria 3, measles 1, smallpox 2, tuberculosis 69, typhoid fever 2.

Month of August, 1911. Total number of deaths from all causes 509, including diphtheria 3, smallpox 5, tuberculosis 71, typhoid fever 1.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon General,

United States Public Health and Marine-Hospital Service.